

SAFETY DATA SHEET SANDVIK PERFORMANCE FLUIDS LONG-LIFE HYDRAULIC OIL ARCTIC SANDVIK OH32-A

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH) ARTICLE 31, ANNEX II AS AMENDED. INTERNAL NO: SDS-SANDVIK OH32-A/ENG/METRIC ISSUED: 16 MARCH 2017

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1: Product identifier

Product name	Sandvik Long-life Hydraulic Oil Arctic
Product code	Sandvik OH32-A

1.2: Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Hydraulic oil.
Uses advised against	This product must not be used in applications other than those listed in chapter 1 without first seeking the advice of the supplier.

1.3: Details of the supplier of the safety data sheet

Name	Sandvik Mining and Construction Logistics Ltd.
Address	Harcourt Road, Dublin, Ireland
Email	For ALL content or SDS related inquiries contact us sds.smrt@sandvik.com

1.4: Emergency telephone number

Emergency telephone numbers	In case of chemical emergency (spill, leak, fire, exposure or accident) call our service provider UK National Chemical Emergency Centre (NCEC): For Europe and if no country-specific number listed: +44 1865 407 333 For Brazil: +55 11 3197 5891 For US: +1 202 464 2554 For Mexico: +52 55 5004 8763 For Africa: +27 21 300 2732 For Australia: +61 2 8014 4558 For NZ: +64 9 929 1483 For China (mainland): +86 532 8388 9090 For China (outside): +86 512 8090 3042
Hours of operation	24 hours per day / 7 days per week.



2: HAZARDS IDENTIFICATION

2.1: Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Hazard summary

Physical hazards: no data available.

2.2: Label elements

EUH210: Safety data sheet available on request.

2.3: Other hazards

	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (chapter 7) and personal protective equipment (chapter 8) are kept. The product may not be released into the environment without control.
--	---

3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1: Mixtures

General information Mixture containing severely refined base oils and a		fined base oils and additives.	
Classification		CLP: Asp. Tox. 1;H304. CLP: Regulation No. 1272/2008. For the wording of the listed risk phrases refer to chapter 16.	
Chemical name	Identifier	Concentration *	REACH registration no.
Base oil, naphthenic	265-156-6	50.00 - <100.00%	01-2119480375-34
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			
PBT: persistent, bio-accumulative and toxic substance.			
vPvB: very persistent and very bio-accumulative substance.			

4: FIRST AID MEASURES

General advice	Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets.
4.1: Description of first aid measures	
Protection of first-aiders	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	Supply fresh air. If symptoms persist, obtain medical advice.
In case of eye contact	Flush eye with copious quantities of water while lifting the eye lids. If persistent irritation occurs, obtain medical attention.
In case of ingestion	Rinse mouth thoroughly.
If swallowed	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.



	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.
	The product is not skin irritating.
In case of skin contact	When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
	Obtain medical attention even in the absence of apparent wounds.

4.2: Most important symptoms and effects, both acute and delayed

Symptoms	May cause skin and eye irritation.	
4.3: Indication of any immediate m	nedical attention and special treatment needed	
Hazards	No data available.	
	Get medical attention if symptoms occur.	
Treatment	Notes to doctor / physician: Treat symptomatically. High pressure injection injuries require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function.	

5: FIRE-FIGHTING MEASURES

5.1: Extinguishing media

Suitable extinguishing media	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.
Unsuitable extinguishing media	Do not use water in a jet.
5.2: Special hazards arising from the substa	nce or mixture
Specific hazards during fire-fighting	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3: Advice for fire-fighters	
Special protective equipment for fire- fighters	Proper protective equipment is to be worn. Self-contained breathing apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

fighters	in a confined space. Select fire fighter's clothing approved to relevant standards (e.g. Europe EN469).
Special fire-fighting procedures	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire-fighting water in-accordance with official regulations. Collect contaminated fire-fighting water separately. It must not enter drains.

6: ACCIDENTAL RELEASE MEASURES

6.1: Personal precautions, protective equipment and emergency procedures

Personal precautions	In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes.
----------------------	---



6.2: Environmental precautions

	Prevent from spreading (e.g. by binding or oil barriers).	
Environmental precautions	Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter	
	drainage system, surface or ground water.	
6.3: Methods and materials for containment and cleaning up		
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Stop the flow of material, if this is without risk. Absorb with liquid-binding material (sand, diatomite, acid-binders, universal binders, sawdust). Dispose of the material collected according to regulations.	

6.4: Reference to other sections

For guidance on selection of personal protective equipment see chapter 8 of this Safety Data Sheet. See chapter 7 for information on safe handling. For guidance on disposal of spilled material see chapter 13 of this Safety Data Sheet.

7: HANDLING AND STORAGE

General precautions	Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
---------------------	---

7.1: Precautions for safe handling

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

Avoid prolonged or repeated contact with skin.

When handling product in drums, safety footwear should be worn and proper handling equipment should be used.

7.2: Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of water-polluting products have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point.

Keep container tightly closed and in a cool, well-ventilated place. Use properly labelled and closable containers.

Store at ambient temperature. Refer to chapter 15 for any additional specific legislation covering the packaging and storage of this product.

7.3: Specific end use(s)

Specific use(s)	No data available.
Storage class	10, combustible liquids.

8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1: Control parameters

Occupational exposure limits:

None of the components have assigned exposure limits.



8.2: Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

General	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in-handling the chemicals or the mineral oil products.
Eye / face protection	Safety glasses (EN 166) recommended during refilling.
Skin / hand protection	Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory protection	Seek advice from local supervisor. Ensure good ventilation/ exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards	Not known.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Individual protection measures such as personal protective equipment:

Environmental exposure controls:

General advice	Take appropriate measures to fulfil the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water.
	Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.



9: PHYSICAL AND CHEMICAL PROPERTIES

9.1: Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	No data available.
рН	Not applicable.
Freezing point	No data available.
Boiling point	No data available.
Flash point	154 °C (DIN EN ISO 2592)
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Flammability limit - upper (%)	No data available.
Flammability limit - lower (%)	No data available.
Vapour pressure	No data available.
Vapour density (air=1)	No data available.
Density	0.88 g/ml (15.00 °C, DIN 51757)
Solubility in water	Insoluble in water.
Solubility in other solvents	No data available.
Partition coefficient (n-octanol/water)	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	31.3 mm²/s (40 °C, DIN 51562)
Explosive properties	No data available.
Oxidizing properties	No data available.

9.2: Other information

No data available.

10: STABILITY AND REACTIVITY

10.1: Reactivity

Stable under normal temperature conditions and recommended use.

10.2: Chemical stability

No data available.

10.3: Possibility of hazardous reactions

None under normal conditions.

10.4: Conditions to avoid

Avoid heat or contamination.

10.5: Incompatible materials

Strong oxidizing substances. Strong acids. Strong bases.

10.6: Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.



11: TOXICOLOGICAL INFORMATION

11.1: Information on toxicological effects

Acute toxicity:	
Oral product	Not classified for acute toxicity based on available data.
- Specified substance(s): base oil, naphthenic	LD 50 (rat): > 2.001 mg/kg.
Dermal product	Not classified for acute toxicity based on available data.
- Specified substance(s): base oil, naphthenic	LD 50 (rabbit): > 2.001 mg/kg.
Inhalation product	Not classified for acute toxicity based on available data.
- Specified substance(s): base oil, naphthenic	LC 50 (rat, 4 h): > 5.53 mg/l. Dusts, mists and fumes.
Skin corrosion / irritation product	No data available.
Serious eye damage / eye irritation product	No data available.
Respiratory or skin sensitization product	No data available.
Germ cell mutagenicity product	No data available.
Carcinogenicity product	No data available.
Reproductive toxicity product	No data available.
Specific target organ toxicity - single exposure product	No data available.
Specific target organ toxicity - repeated exposure product	No data available.
Aspiration hazard product	No data available.
Other adverse effects	No data available.

12: ECOLOGICAL INFORMATION

12.1: Toxicity

Acute toxicity product	No data available.
- Specified substance(s): base oil, naphthenic	LC 50 (fish, 96 h): > 101 mg/l.
Chronic toxicity product	No data available.
12.2: Persistence and degradability	
Biodegradation product	No data available.
12.3: Bio-accumulative potential	
Bio-accumulative potential product	No data available.
12.4: Mobility in soil	
Mobility	No data available.
12.5: Results of PBT and vPvB assessment	
Assessment	No data available.

No data availableNo data available.Water hazard class (WGK)WGK 1: slightly water-endangering.

13: DISPOSAL CONSIDERATIONS

13.1: Waste treatment methods

General information	Dispose in accordance with all applicable regulations.
Disposal methods	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.
European waste codes	13 01 10*: mineral based non-chlorinated hydraulic oils.

14: TRANSPORT INFORMATION

14.1: UN number

ADR	-
RID	-
IMDG	-
IATA	-

14.2: UN proper shipping name

ADR	-
RID	-
IMDG	-
IATA	-

14.3: Transport hazard class(es)

ADR	Non-dangerous goods.
RID	Non-dangerous goods.
IMDG	Non-dangerous goods.
IATA	Non-dangerous goods.

14.4: Packing group

ADR	-
RID	-
IMDG	-
IATA	-

14.5: Environmental hazard(s)

ADR	-
RID	-
IMDG	-
IATA	-

14.6: Special precaution(s) for user

ADR	-
RID	-
IMDG	-
IATA	-

14.7: Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable.



15: REGULATORY INFORMATION

15.1: Safety, health and environmental regulations / legislation specific for the substance or mixture

	Regulation (EC) No. 2037/2000 substances that deplete the ozone layer: none.
EU regulations	
	Regulation (EC) No. 850/2004 on persistent organic pollutants: none.
National regulations	Water hazard class (WGK): WGK 1: slightly water-
	endangering.

15.2: Chemical safety assessment

No chemical safety assessment has been carried out for this substance / mixture.

16: OTHER INFORMATION

Revision Information	Vertical lines in the margin indicate an amendment.
Wording of the H-statements in section 2 and 3	H304: may be fatal if swallowed and enters airways.
Training information:	Follow training instructions when handling this material.
Other information	The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).
Revision Date	
are given to the best of our knowledge and belie requirements for handling, transport and dispos product specification). Neither should any agree technical application be deduced from the data document are not allowed. The data are not tran- with other products or in the case of processing for the new-made material. It is the responsibility	based on our current knowledge and experience and f. It characterizes the product only with regard to safety al. The data do not describe the product's properties (tech. d property nor the suitability of the product for any specific contained in this safety data sheet. Modifications on this sferable to other products. In the case of mixing the product , the data in this safety data sheet are not necessarily valid y of the recipient of the product to observe federal, state andvik.com to obtain up-to-date safety data sheets. This signature.

End of Safety Data Sheet